

## Lesson 9: Applying the Properties of Operations to Add and Subtract Rational Numbers

### Classwork

#### Exercise 1

Unscramble the cards, and show the steps in the correct order to arrive at the solution to  $5\frac{2}{9} - (8.1 + 5\frac{2}{9})$ .

$$0 + (-8.1)$$

$$\left(5\frac{2}{9} + \left(-5\frac{2}{9}\right)\right) + (-8.1)$$

$$-8.1$$

$$5\frac{2}{9} + \left(-8.1 + \left(-5\frac{2}{9}\right)\right)$$

$$5\frac{2}{9} + \left(-5\frac{2}{9} + (-8.1)\right)$$

**Examples 1–2**

Represent each of the following expressions as one rational number. Show and explain your steps.

1.  $4\frac{4}{7} - \left(4\frac{4}{7} - 10\right)$

2.  $5 + \left(-4\frac{4}{7}\right)$

**Exercise 2: Team Work!**

a.  $-5.2 - (-3.1) + 5.2$

b.  $32 + \left(-12\frac{7}{8}\right)$

c.  $3\frac{1}{6} + 20.3 - \left(-5\frac{5}{6}\right)$

d.  $\frac{16}{20} - (-1.8) - \frac{4}{5}$

**Exercise 3**

Explain, step by step, how to arrive at a single rational number to represent the following expression. Show both a written explanation and the related math work for each step.

$$-24 - \left(-\frac{1}{2}\right) - 12.5$$

**Lesson Summary**

- Use the properties of operations to add and subtract rational numbers more efficiently. For instance,

$$-5\frac{2}{9} + 3.7 + 5\frac{2}{9} = \left(-5\frac{2}{9} + 5\frac{2}{9}\right) + 3.7 = 0 + 3.7 = 3.7.$$

- The opposite of a sum is the sum of its opposites as shown in the examples that follow:

$$-4\frac{4}{7} = -4 + \left(-\frac{4}{7}\right).$$

$$-(5 + 3) = -5 + (-3).$$

**Problem Set**

Show all steps taken to rewrite each of the following as a single rational number.

1.  $80 + \left(-22\frac{4}{15}\right)$

2.  $10 + \left(-3\frac{3}{8}\right)$

3.  $\frac{1}{5} + 20.3 - \left(-5\frac{3}{5}\right)$

4.  $\frac{11}{12} - (-10) - \frac{5}{6}$

5. Explain, step by step, how to arrive at a single rational number to represent the following expression. Show both a written explanation and the related math work for each step.

$$1 - \frac{3}{4} + \left(-12\frac{1}{4}\right)$$